





Embossed 3D Printing

High printing resolution and up to 2880 dpi

Ideal for mobile devices cover printing, custom gifts items, giveaways, PVC card printing...etc..

Versatile printer suitable for printing on flexible and hard substrates

White ink channel for printing on dark and transparent materials

☆ Limited Footprint Yet Great Printing Results

Operational convenience with the **unique lateral loading architecture**

Minimal operational cost with the **continuous ink** supply system

Simplified operation and maintenance

Built in liquid cooling control system

Y axis servo motor for an increased printing quality

Applications











Promotional Items

Office Stationery

Printer

Ordering Information

artis 2100 U

Printing specification				
Print speed		4 min for Full A4 size		
Printing technology		UV LED		
Ink		CMYK W / CMYK LC LM		
UV system		40W with water circulation system		
	Ink supply	CISS (Continuous Ink Supply System)		
Media	Applications	Mobile devices cover printing, custom gifts items, giveaways, PVC card printingetc		
	Media Size	A4, 180 x 297 mm (7.08 x 11.69 in)		
	Thickness	50 mm (1.96 in)		
Printing	Printing modes	4 pass 6 pass 8 pass		
	Print Resolution	Up to 2880 *1440 d pi		
	Printing Direction	Not adjustable, bidirectional lighting		
	Print Head	On demand Piezoelectic 180*6 nozzles printhead		

Printer specification				
Connectivity	Nozzles	Variable dot size printing technology, starting from 1.5 pl and up to 21pl		
	Ports	USB 2.0		
	Nozzle Number	540		
	Operating systems	Windows 8, 7, Vista & XP		
Dimensions	Depth x Width x Height	Printer 570 x 560 x 440 mm (22.44 x 22.04 x 17.32 in) Shipping 630 x 790 x 620 mm (24.80 x 31.10 x 24.40 in)		
Weight		Printer 48 Kg, Shipping 63 Kg		
Flatbed transmission		Servo motor		
Table up/down mode		Motorized 50 mm (1.96 in)		
Content of the box		artis 2100 U, USB cable, Power cable, User manual book, spare parts package, Driver CD, Ink Chips, Ink tunnels, SCM Cable, Power fuse, RIP Software, Extra back-up Damper		
Environmental ranges	;	10 - 35 °		

Ink DTSAT3 - 1000-001 DTSAT3 - 1000-002 DTSAT3 - 1000-003 DTSAT3 - 1000-004 DTSAT3 - 1000-005	DTS Direct to Substrate artisink Cyan UV LED Ink DTSAT3, 1000ml Magenta UV LED Ink DTSAT3, 1000ml Yellow UV LED Ink DTSAT3, 1000ml Black UV LED Ink DTSAT3, 1000ml White UV LED Ink DTSAT3, 1000ml
DTSAT3 - 500-001 DTSAT3 - 500-002 DTSAT3 - 500-003 DTSAT3 - 500-004 DTSAT3 - 500-005	Cyan UV LED Ink DTSAT3, 500ml Magenta UV LED Ink DTSAT3, 500ml Yellow UV LED Ink DTSAT3, 500ml Black UV LED Ink DTSAT3, 500ml White UV LED Ink DTSAT3, 500ml
DTSAT3 - 200-001 DTSAT3 - 200-002 DTSAT3 - 200-003 DTSAT3 - 200-004 DTSAT3 - 200-005	Cyan UV LED Ink DTSAT3, 200ml Magenta UV LED Ink DTSAT3, 200ml Yellow UV LED Ink DTSAT3, 200ml Black UV LED Ink DTSAT3, 200ml White UV LED Ink DTSAT3, 200ml
Cleaning agent BRCA-UAT3-1000-001 BRCA-UAT3-500-001 BRCA-UAT3-200-001	Cleaning agent for LED UV inks, 1000 ml Cleaning agent for LED UV inks, 500 ml Cleaning agent for LED UV inks, 200 ml
Fixing agent BRCP-U-1000-001 BRCP-U-500-001 BRCP-U-200-001	Fixing agent A/B liquids for UV LED inks, 1000m Fixing agent A/B liquids for UV LED inks, 500ml Fixing agent A/B liquids for UV LED inks, 200ml



artisRIP Lite software

Software

ECO



Go green with artisJet's DTSAT3 UV inks. Print toxin free and virtually odorless. DTSAT3 UV inks are environmentally friendly. UV inks are cured and fixed to the substrate when being activated with UV light. The curing process hardens the ink, without any evaporation, Ideal for general industrial use, restaurants, hotels, hospitals and indoor signage application.



artisRIP Lite Software

Designed with the simplicity of use in mind, for artisJet RIP supports all BR printers models. It is suitable for beginners who are looking for a consistent vivid color output.

~75W. Input voltage (auto ranging)

110V/220V 50 - 60 HZ

One year limited warranty

CEcertified

ArtisRip Lite main features are:

Layout platform

Power consumption

and requirements

Certification

Warranty

Simple user-friendly interface Print origin setting, image resizing Raster and Vector images support Repetitive print jobs for industrial applications Previewing

Print Engine

Vivid color reproduction

Bi-directional and Uni-directional print modes Supports multiple ink channel configurations

Supports different resolution print modes (360x360 and up to 1440x2880dpi)

Support for jpg, tiff, bmp, png, eps and pdf image files Total ink limit and individual ink channel limit settings Color management engine with ICC profiles support

Direct printing from common graphic software. (CorelDraw, Photoshop, Autocad...)



Core technology highlight

Flash On Ink Firing System
Intelligently powered by ArtisPrinters FOIF system, the artis 2100U printer electronically activates the UV LEDs when firing ink only. As a result the life time of the printhead and the UV LEDs is maximized. FOIF also protects the entire ink system including the ink pump, the wiper, the damper, and the cap

Continuous Ink Supply System

Unlike ink cartridges, this system allows for 100% utilization of available ink.

Unique lateral loading platform design Unique design ensuring a better visibility of the output. Ideal for space constraints workplaces

Control On Demand System
Designed for an enhanced flexibility and simplicity, artisJet COD digitally controls the operation of the LED UV system. It automatically adapts to different materials and working environments. COD controls the UV Curing mode(Bi-directional, Uni-directional). This will result in delivering an optimal printing quality and drying time.

Safe Water Cooling Control System

Designed for operational extra safety and simplicity, artisJet's SWCC system is built on a digital industrial chilling system. It recycles 300ml of an industrial cooling liquid. The liquid level is visible and refillable on demand to avoid the wearout of the UV LEDs.













